OFFICE OF THE INSPECTOR-GENERAL OF POLICE IN MYSORE, BANGALORE.

Abstract Notification.

Certain condemned stores articles will be sold in public auction in the premises of the Office of the Inspector-General of Police in Mysore, Bangalore, on Tuesday the 4th January 1938 at 3 P.M. For further details, *vide Mysore Gazette*, dated 9th December 1937, Part VI, page 2062.

F. A. HAMILTON,
Inspector-General of Police.

OFFICE OF THE HUZUR SECRETARY TO HIS HIGHNESS THE MAHARAJA OF MYSORE, MYSORE.

TENDER NOTICE.

Sealed tenders for the supply of horse gram to the Palace will be received by the undersigned on Wednesday the 5th January 1938.

Particulars can be obtained from the Munceb, Mothikhana, Mysore.

T. THUMBOO CHETTY,
Huzur Secretary
to H. H. the Maharaja of Mysore.

OFFICE OF THE SUPERINTENDING ENGINEER, IRRIGATION CIRCLE (KRISHNARAJ SAGAR WORKS).

Notification dated December 1937.

Applications are invited from Graduates in Engineering for appointment as Work Inspectors on Rs. 50 per mensem for the subordinate supervision of the Cauvery Branch Works (Irwin Canal).

2. The appointment is purely Temporary and terminable without notice.

3. The applications should be in the form prescribed by the Central Recruitment Board and should reach the undersigned on or before 10th January 1938.

4. The appointments are open to all classes or communities.

N. SARABHOJA,
Superintending Engineer.

GOVERNMENT OF MYSORE, ELECTRICAL DEPARTMENT.

OFFICE OF THE SUPERINTENDENT, POWER AND LIGHTING, BANGALORE.

Abstract Notification.

INSTALLING ELECTRIC LIGHTS IN THE GOVERNMENT HIGH SCHOOL HOSTEL, TUMKUR.

Attention of the Electrical contractors is drawn to the Notification, published in Part VI, pages 2078-2079 of the *Mysore Gazette*, dated 9th December 1937, inviting tenders for the above work.

The last date of receiving the tender is up to 3 P.M. on 27th December 1937, and the earnest money required is Rs. 30.

C. R. GOWDA,
Superintendent.

OFFICE OF THE SUPERINTENDENT, POWER AND LIGHTING, MYSORE.

Notification dated 8th December 1937.

Sealed tenders will be received, in triplicate, at the Office of the Superintendent, Power and Lighting, Mysore, superscribed with the name of the work given below :—

2. The plans may be seen in the office of the undersigned at all working hours.

3. The tenders should be drawn up strictly in conformity with the detailed specifications ished, at the same time writing out the rates at which each item of work is executed, in figures ell as in words, failing which no cognisance will be taken of the tender.

4. The undersigned reserves the right to reject the tender without assigning any reason there-

5. The successful tenderer will be required to deposit an earnest money of Rupees Fifty (Rs. 50) only with the undersigned and execute an agreement within three days from the date of intimation as to the acceptance of the tender, failing which the tender will be disposed of otherwise.

6. The materials to be used on the work should be of best quality English or American manufacture, and conform to the specification. The insulated wires to be used should be of 250 Volts grade for interior wiring and of 660 Volts grade for the exterior.

7. The teakwood planks to be used for boards, etc., should be free from cracks and knots and well seasoned. No planks less than 12" in width should be used for boards, unless it is to make up the difference in the size of the board required. Lap joints should invariably be adopted in all cases.

8. In executing the work, the wiring rules of this Department as well as that of Institution of Electrical Engineers should be strictly followed.

9. No items other than those noted in the statement should be included in the tender, as the items include provision for all sundries, repairs to damaged masonry and pointing, etc.

10. The control switches, etc., are required to be grouped in in conspicuous corners to suit the local conditions. The successful tenderer should be prepared to carry out any changes in the location of switch and lighting outlets, without any extra cost, if the estimate is not materially affected by such deviations. The undersigned will be at liberty to reject the work in full or part, if he finds the work not executed in terms of the specification.

11. *Name of Work.*—"Installing Electric Lights, etc., to the Buildings at Electric Colony, Hole Narsipur."

12. The last date for receiving tenders—27th December 1937 at 3 P.M.

13. Time and date for opening the tenders in public is at 4 P.M. on 27th December 1937.

14. A period of four weeks is allowed for completion of the work, with effect from the date of acceptance of the tender, failing which a penalty of Rupee One for each day's delay over and above the stipulated time will be enforced.

DETAILS OF WORK.

I. SENIOR OPERATOR'S QUARTERS.

Exterior Work.

	Particulars.	*Quantity.*
1.	Supplying and fixing and tarring outrigger cross-arm single 2 pin, complete with bolts and nuts, distance pieces, etc.	One.
2.	Do do 2 pin double cross-arm, complete with bolts, clamps, etc.	One.
3.	Do do insulators and pins	Six.
4.	Do and stringing bare copper wire No. 8 B. and S. ..	5 Lbs.
5.	Supplying and running mains in ¾" W.I. pipe, with bends, clamps, etc., using No. 10 B. and S. insulated wire and accessories	25 Ft.
6.	Earthing	Item.

Interior.

1.	Supplying, fixing and wiring T.W. board 12"×12"×1" with 2" battens and ½" rear board, equipping it with a 15 amps. D.P. iron-clad switch with fuses, using No. 10 B. and S. insulated wire and accessories	One.
2.	Do do in two-way 2"×1" T.W. casing treated with two coats of Shellac Varnish, with capping, for drop lights complete with two plate (reinforced) bakelite ceiling rose, flexible cord, bakelite (reinforced) B.C. lamp holder, 5 amp. control switch with brown porcelain base and bakelite cover, using No. 14 B. and S. insulated wire and accessories	Three.
3.	Do do for brass brackets 6"×½" with B.C. lamp holder, etc., as per specification above	One.
4.	Do do for ⅜" braized conduit pendants 3 to 4 feet long, complete with B.C. lamp holder, stout ceiling plate, etc., as per specification against previous item	Three.
5.	Do do for combined wall plug and switch 5 amps. with nipple, with brown porcelain base and bakelite cover, as per specification above	Two
6.	Supplying and fixing shades tin-enamelled, 10"	Three
7.	Do do white Opal 10"	Four.
8.	Do do lamps 10—60 Watts B.C., 230 Volts, gas-filled ..	Seven

II. Transmission Line Inspector's Quarters.

Items and specifications exactly as Senior Operator's Quarters.

III. Operators' Quarters to Accommodate Two Families.

Exterior Work.

	Particulars.	*Quantity.*
1.	Supplying, fixing and tarring two pin outrigger single cross-arms, complete with bolts, distance pieces, etc.	One.
2.	Do do two pin double X-arm complete with bolts, clamps, etc.	One.
3.	Do do insulators and pins	Six.
4.	Do do and stringing bare copper wire No. 8 B. and S.	5 Lbs.
5.	Supplying and running mains in ¾" W.I. pipe with bends, clamps, etc., using No. 8 B. and S. insulated wire and accessories	25 Ft.
6.	Earthing	Item.

Interior.

1.	Supplying and running sub-mains in 2" two-way T.W. casing treated with two coats of Shellac Varnish, with capping, using No. 10 B. and S. insulated wire and accessories	20 Ft.
2.	Supplying, fixing and wiring T.W. board 12"×12"×1" with 2" battens and ½" rear board, equipping it with a 15 Amp. D.P.S.T. iron clad switch with fuses, using No. 10 B. and S. insulated wire and accessories	Two.
3.	Do do in T.W. two-way 2"×1" casing treated with two coats of Shellac Varnish, with capping, for drop lights complete with two plate (reinforced) bakelite ceiling rose, flexible cord, B.C. (reinforced) bakelite lamp holder, 5 amp. control switch with brown porcelain base and bakelite cover, using No. 14 B. and S. insulated wire and accessories	Six.
4.	Do do for ⅝" braized conduit pendants 3 to 4 feet long, complete with B.C. lamp holders, stout ceiling plate, etc., as per specification above	Eight.
5.	Do do for combined wall plug and switch 5 amp. with nipple with brown porcelain base and bakelite cover, as per specification above	Four.
6.	Supplying and fixing shades, tin-enamelled, 10"	Six.
7.	Do do white Opal 10"	Eight.
8.	Do do lamps 40—60 Watts, 230 Volts, B.C. gas-filled	Fourteen

FOR TWO QUARTERS.

IV. Linemen's Block to Accommodate Four Families.

Exterior Work.

1.	Supplying and running mains in ½" W.I. pipe, complete with bends, clamps, etc., using No. 12 B. and S. insulated wire and accessories	20 Ft.
2.	Earthing	Item.

Interior.

1.	Supplying and running mains in 2"×1" teak wood two-way casing treated with two coats of Shellac Varnish, with capping, using No. 12 B. and S. insulated wire and accessories	55 Ft.
2.	Supplying, fixing and wiring T.W. board 12"×9"×1" with batten and rear board, equipping it with a D.P. linked switch 5 amp. 2 bow cut-outs 5 Amps., using No. 14 B. and S. insulated wire and accessories	Four.
3.	Do do in T.W. two-way 2"×1" casing treated with two coats of Shellac Varnish, with capping, for brass brackets 6"×½" with B.C. lamp holder, 5 amp. control switch, with brown porcelain base and bakelite cover, using No. 14 B. and S. insulated wire and accessories	Eight.
	Do do for drop lights complete with two plate (reinforced) bakelite ceiling rose, flexible cord, B.C. (bakelite) lamp holder, 5 amp. control switch, etc., as per specification above	Four.
	Supplying and fixing shades, tin-enamelled, 10"	12
	Do do lamps B.C. 40—60 Watts, 230 Volts, gas-filled	12

V. LINEMEN'S BLOCK TO ACCOMMODATE SIX FAMILIES.

Exterior Work.

	Particulars.	*Quantity.*
1.	Supplying and running mains in ½" W.I. pipe with bends, clamps, etc., using No. 12 B. and S. insulated wire and accessories	20 Ft.
2.	Earthing	Item.

Interior.

1.	Supplying and running sub-mains in 2"×1" T.W. two-way casing treated with two coats of Shellac Varnish, with capping, using No. 12 B. and S. insulated wire and accessories	85 Ft.
2.	Supplying, fixing and wiring T.W. Board 12"×9"×1" with batten and rear board equipping it with a D.P. linked 5 amp. switch and two 5 Amp. bow cut-outs, using No. 14 B. and S. insulated wire and accessories	Six.
3.	Do do in 2"×1" two-way T.W. casing treated with two coats of Shellac Varnish, with capping, for drop lights complete with two plate (reinforced) bakelite ceiling rose, flexible cord, B.C. (reinforced) bakelite lamp holder, 5 amp. control switch with brown porcelain base and bakelite cover, using No. 14 B. and S. insulated wire and accessories	Six.
4.	Do do for brass brackets 6"×½" with B.C. lamp holder, etc., as per specification above	12
5.	Supplying and fixing shades, tin-enamelled, 10"	18
6.	Do do lamps, B.C. 40—60 Watts, 230 Volts, gas-filled ..	18

M. HAYATH,
Superintendent.

OFFICE OF THE SUPERINTENDENT, IRWIN CANAL FARM, MANDYA.

Abstract Notification dated 10th December 1937.

Tender for the supply of Feed articles to the Irwin Canal Farm, Mandya, from 1st January 1938 to 31st December 1938, will be received in the Office of the Superintendent, Irwin Canal Farm, Mandya, up to 5 P.M., on Thursday, the 30th December 1938.

For particulars see the *Mysore Gazette*, dated 16th December 1937, pages 2096-2097, Part VI.

K. KRISHNA MURTHY,
Superintendent.

PRIVATE ADVERTISEMENTS

IN THE COURT OF THE PRINCIPAL SUBORDINATE JUDGE AT BANGALORE.

Miscellaneous Case No. 65 of 1937-38.

B. C. Bommaiya, son of N. Gudumananja, Gandikar, Vokkaligar, Postman, residing at No. 104, Anchepet, Bangalore City .. .. .. *Petitioner.*

Vs.

(1) Nanjamma, widow of Nanjundappa, resident of Anchepalya, Bangalore Taluk, (2) Tirumalamma, widow of Dodda Nanjundappa, resident of Anchepalya, Bangalore Taluk .. .. *Opponents.*

In the matter of the estate of Chinnappajee, resident of Anchepet, Bangalore City .. .. *Deceased.*

Whereas the abovenamed petitioner, resident of Bangalore City, claiming to be the heir of said Chinnappajee, deceased; has applied to this Court for a certificate under Regulation V of 1901, to collect debts payable in respect of the estate of Chinnappajee, deceased, resident of Bangalore City.